

# Group theory – Sheet 1

The exercises from the book are 1.3, 1.4, 1.5, 2.3, 2.5, 2.7, 2.8.

(1) Determine which of the following subsets of  $M(n, \mathbb{R})$ , the set of  $n$  by  $n$  real matrices, are groups under matrix multiplication:

- $M(n, \mathbb{R})$ ,
- $GL(n, \mathbb{R})$ , the set of  $n$  by  $n$  matrices with nonzero determinant,
- $SL(n, \mathbb{R})$ , the set of  $n$  by  $n$  matrices with determinant 1,
- upper triangular matrices with nonzero determinant,
- $O(n)$ , the set of orthogonal matrices,
- symmetric matrices,
- skew symmetric matrices.

(2) Let  $G$  be a group and  $x \in G$ . Show that  $x^n x^m = x^m x^n = x^{n+m}$  and that  $(x^n)^m = x^{nm}$ .

(3) Show that if every element  $g$  in group  $G$  satisfies  $g^2 = e$  then  $G$  is Abelian.

(4) Let  $\{\mathbf{1}, \mathbf{i}, \mathbf{j}, \mathbf{k}\}$  denote a basis for  $\mathbb{R}^4$  as a vector space and define an associative  $\mathbb{R}$ -bilinear product on  $\mathbb{R}^4$  by the rules

$$\mathbf{i}^2 = \mathbf{j}^2 = \mathbf{k}^2 = \mathbf{ijk} = -\mathbf{1} \quad \mathbf{1p} = \mathbf{p} \quad \forall \mathbf{p} \in \mathbb{R}^4.$$

- Show that  $\mathbf{ij} = -\mathbf{ji} = \mathbf{k}$ ,  $\mathbf{jk} = -\mathbf{kj} = \mathbf{i}$  and  $\mathbf{ki} = -\mathbf{ik} = \mathbf{j}$ ,
- For  $\mathbf{p} = a\mathbf{1} + b\mathbf{i} + c\mathbf{j} + d\mathbf{k} \in \mathbb{R}^4$ , with  $a, b, c, d \in \mathbb{R}$ , let  $\overline{\mathbf{p}} = a\mathbf{1} - b\mathbf{i} - c\mathbf{j} - d\mathbf{k} \in \mathbb{R}^4$ . Show that

$$\mathbf{p}\overline{\mathbf{p}} = a^2 + b^2 + c^2 + d^2.$$

Conclude that every element in  $\mathbb{R}^4 \setminus \{0\}$  has a multiplicative inverse and hence  $\mathbb{R}^4 \setminus \{0\}$  is a (non-commutative) group.

- Show that for  $\mathbf{p}, \mathbf{q} \in \mathbb{R}^4$ ,  $\overline{\mathbf{pq}} = \overline{\mathbf{q}}\overline{\mathbf{p}}$ . Conclude that  $\mathbf{pqpq} = \mathbf{ppqq}$ . Finally, show that  $S^3 \subset \mathbb{R}^4$  is a group.

The vector space  $\mathbb{R}^4$  with this group structure is known as the *quaternions*.

(5) In lectures we studied the group of symmetries of a regular hexagon. What is the group of symmetries of a regular  $n$ -gon?